

Printing date 05/07/2012

Reviewed on 04/01/2012

1 Identification of the substance/mixture and of the company/undertaking

· Product identifier

· Trade name: CLEARFIL PORCELAIN BOND ACTIVATOR

- · Article number: US028
- · Application of the substance / the preparation Adhesive, dental ceramic

· Details of the supplier of the safety data sheet

· Manufacturer:

Kuraray Noritake Dental Inc. 1621 Sakazu, Kurashiki, Okayama 710-0801, Japan • Contact information:

Kuraray America, Inc. 33 Maiden Lane, 6th Floor, New York, NY 10038 U.S.A. Tel: 800-879-1676 Fax: 888-700-5200 Website: www.kuraraydental.com

2 Composition/information on ingredients

· Chemical characterization: Single Component

 \cdot **Description:** Mixture of substances listed below with nonhazardous additions.

· Dangerous components:

2530-85-0 3-trimethoxysilylpropyl methacrylate H311; (1) H315; H319; H335; H227

40-60%

• Other ingredients:

Hydrophobic aromatic dimethacrylate Others

3 Hazards identification

 \cdot Classification of the substance or mixture

GHS06 Skull and crossbones

H311 Toxic in contact with skin.

GHS07

H315 Causes skin irritation.

- H319 Causes serious eye irritation.
- H335 May cause respiratory irritation.

H227 Combustible liquid.

Classification according to Directive 67/548/EEC or Directive 1999/45/EC

🗶 Irritant

Irritating to eyes, respiratory system and skin.

· Information concerning particular hazards for human and environment:

The product has to be labelled due to the calculation procedure of international guidelines.

· Classification system:

The classification was made according to the latest editions of international substances lists, and expanded upon from company and literature data.

(Contd. on page 2)

USA



Printing date 05/07/2012

Reviewed on 04/01/2012

Trade name: CLEARFIL PORCELAIN BOND ACTIVATOR

	(Contd. of page 1
Label eleme	nts
GHS label e	lements
The product	is classified and labelled according to the Globally Harmonized System (GHS).
Hazard pict	ograms GHS06
Signal word	Danger
Hazard-det	ermining components of labelling:
3-trimethoxy	vsilylpropyl methacrylate
Hazard stat	ements
	ustible liquid.
	in contact with skin.
	s skin irritation.
	s serious eye irritation.
	ause respiratory irritation.
	ary statements
P210	Keep away from heat/sparks/open flames/hot surfaces No smoking.
P305+P351+	-P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P361	Remove/Take off immediately all contaminated clothing.
P321	Specific treatment (see on this label).
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international
	regulations.
Classificatio	
NFPA ratin	gs (scale 0 - 4)
	Health = 1
	Fire = 2
	Reactivity $= 0$
HMIS-ratin	gs (scale 0 - 4)
HEALTH	Health $= 1$
FIRE	Fire = 2
	Reactivity $= 0$

Material Safety Data Sheet acc. to ISO/DIS 11014

4 First aid measures

· After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Do not induce vomiting; immediately call for medical help.

If symptoms persist consult doctor.

5 Firefighting measures

· Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. • Special hazards arising from the substance or mixture No further relevant information available.

· Protective equipment:

Wear self-contained respiatory protective device.

(Contd. on page 3)

USA



Printing date 05/07/2012

Reviewed on 04/01/2012

Trade name: CLEARFIL PORCELAIN BOND ACTIVATOR

Wear fully protective suit.

(Contd. of page 2)

6 Accidental release measures

- \cdot Personal precautions, protective equipment and emergency procedures Not required.
- \cdot Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.

- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

7 Handling and storage

· Handling:

· Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

- Prevent formation of aerosols.
- \cdot Information about protection against explosions and fires: No special measures required.
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a refrigerator (2-8°C).
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- \cdot Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.
- \cdot Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists that were valid during the creation were used as basis.
- · Personal protective equipment:
- \cdot General protective and hygienic measures:
- Immediately remove all soiled and contaminated clothing.
- Wash hands before breaks and at the end of work.
- Avoid contact with the eyes and skin.
- · Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the



Printing date 05/07/2012

Reviewed on 04/01/2012

Trade name: CLEARFIL PORCELAIN BOND ACTIVATOR

(Contd. of page 3) resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

General Information			
Appearance:			
Form:	Liquid Transparent Slightly methacrylate odor		
Color:			
Odor:			
pH-value:	Not applicable		
Change in condition			
Melting point/Melting range:	Undetermined.		
Boiling point/Boiling range:	190 °C (3-trimethoxysilylpropyl methacrylate)		
Flash point:	92 °C (3-trimethoxysilylpropyl methacrylate)		
Ignition temperature:	Not applicable		
Danger of explosion:	Product does not present an explosion hazard.		
Explosion limits:			
Lower:	Not applicable		
Upper:	Not applicable		
Vapor pressure:	Not applicable		
Density:	1.1 g/cm ³ (9.18 lbs/gal)		
Vapour density	Not applicable		
Solubility in / Miscibility with			
Water:	Not miscible or difficult to mix.		
Segregation coefficient (n-octonol/wa	ater): Not applicable		
Other information	No further relevant information available.		

10 Stability and reactivity

· Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

- · Incompatible materials: No further relevant information available.
- \cdot Hazardous decomposition products: Carbon monoxide and carbon dioxide

(Contd. on page 5)

USA



Printing date 05/07/2012

Reviewed on 04/01/2012

Trade name: CLEARFIL PORCELAIN BOND ACTIVATOR

(Contd. of page 4)

11 Toxicological information

- · Acute toxicity:
- · LD/LC50 values that are relevant for classification:

2530-85-0 3-trimethoxysilylpropyl methacrylate

Oral LD50 22600 mg/kg (rat)

Dermal LD50 500 mg/kg (rabbit)

· Primary irritant effect:

- \cdot on the skin: Irritant to skin and mucous membranes.
- on the eye: Irritating effect.
- Sensitization: No sensitizing effects known.
- \cdot Additional toxicological information:
- The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

12 Ecological information

- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Additional ecological information:
- · General notes:
- Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

13 Disposal considerations

- \cdot Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- \cdot **Recommendation:** Disposal must be made according to official regulations.

UN-Number DOT, ADR, ADN, IMDG, IATA	Void	
	Volu	
UN proper shipping name DOT, ADR, ADN, IMDG, IATA	Void	
Transport hazard class(es)		
DOT, ADR, ADN, IMDG, IATA		
Class	Void	
Packing group		
DOT, ADR, IMDG, IATA	Void	
Environmental hazards:		
Marine pollutant:	No	



Printing date 05/07/2012

Reviewed on 04/01/2012

(Contd. of page 5)

Trade name: CLEARFIL PORCELAIN BOND ACTIVATOR

· Special precautions for user

Not applicable.

_

· Transport in bulk according to Annex II of

· Section 355 (extremely hazardous substances):

MARPOL73/78 and the IBC Code Not applicable.

· UN "Model Regulation":

15 Regulatory information

· Sara

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administation)

None of the ingredients is listed.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Version: 4
- · Relevant phrases
- Not applicable
- H227 Combustible liquid.
- H311 Toxic in contact with skin.
- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- H335 May cause respiratory irritation.