
MATERIAL SAFETY DATA



Conditions to Avoid: N/A

HAZARD RATING

4=EXTREME 3=HIGH 2=MODERATE 1=SLIGHT 0=INSIGNIFICANT

Manufacturer's Name: Sultan Dental Products Address: 242 South Dean Street, Englewood, New Jersey 07631 Telephone Number: (201) 894-5500

Product Identification	Health Hazard Data
Product Name: Sultan Topex Prophylaxis Paste With Fluoride	Route(s) of Entry: Inhalation? N/A Skin? N/A
Synonyms: Topex Hazardous Ingredients	Ingestion? Yes Health Hazards (Acute and Chronic): N/A Monographs? N/A Signs and Symptoms of Exposure: N/A
Hazardous Components: Fluoride Ion Sodium Fluoride Active % (optional): 1.23% Physical/Chemical Characteristics	<i>Emergency and First Aid Procedures:</i> Eye: Flush with water. If irritation persists, contact physician. Ingestion: Call a physician at once. Immediately give copious quantities of milk or water if milk is not available.
DOES NOT APPLY	Precautions for Safe Handling and Use
Fire and Explosion Hazard Data DOES NOT APPLY	Steps to BeTaken In Case Material is Released or Spilled: N/A Waste Disposal Method: N/A
Reactivity Data	Precautions To Be Taken In Handling and Storing: N/A
Stability: Stable Incompatibility (Materials to Avoid): N/A	Other Precautions: N/A
Hazardous Decomposition	Control Measures
of By-products: N/A Hazardous Polymerization: N/A	DOES NOT APPLY