

SAFETY DATA SHEET

Premier® Implant Cement™, Catalyst

1. Chemical Product and Company Identification

Product Name: **Premier® Implant Cement™**

Premier® Dental Products Company

1710 Romano Drive

Plymouth Meeting, PA 19462

Phone: 610-239-6000 Fax: 610-239-6171

Emergency Phone: 610-239-6000

Indications:

Premier® Implant Cement is a non-eugenol temporary cement for luting implant-retained crowns.

Contraindications:

Do not use on patients with known sensitivity or allergy to resins. Wash exposed area completely to remove material. If an allergic reaction is observed, consult a physician immediately and discontinue use with this patient.

2. Hazards Identification

Acute Health Hazards: May cause eye, respiratory and skin irritation in high concentration.

Chronic Health Hazards: Material is not known to cause significant health problems

Signs and Symptoms of Exposure: High concentrations can cause eye and respiratory irritation. Prolonged skin exposure can cause dryness

Primary routes of exposure: Inhalation, skin contact, eye contact.

Carcinogenicity: NTP - no, OSHA - no, IARC – no.

Hazard symbol:



3. Composition / Information on Hazardous Ingredients

Hazardous Ingredients	CAS #	Hazard Identification & Risk Phrases
Triethylenglycoldimethacrylate	109-16-0	Irritant
Benzoyl Peroxide	94-36-0	Explosive, Irritant
Fumed Silica	112945-52-5	R36/37/38

✓ **Additional information: For the wording of the listed risk phrases refer to section 16.**

4. First Aid Measures

In case of inhalation: If irritation occurs, take victim to open air. If breathing difficulty persists, consult a physician.

In case of skin contact: Wash with soap and water.

In case of eye contact: Flush with large quantities of water for 15 minutes. Consult a physician.

In case of ingestion: Consult a physician.

5. Fire-Fighting Measures

Flash point: N/A

Extinguishing Media: Carbon dioxide, water spray, dry chemical

Special Fire Fighting Procedures: Avoid a direct jet of water.

Unusual Fire and Explosion Hazards: None.

6. Accidental Release Measures

Environmental Precautions: Avoid seepage into sewers and water supplies.

Clean-Up Procedure: Contain spill and pick up material with a suitable absorbent material . Place absorbent into a container for later disposal.

7. Handling and Storage

Handling: No special measures necessary if handled according to instruction

Storage: Keep container tightly closed when not in use. Store in a cool dry location. Keep material in original packaging.

Storage away from light, open flames, contamination and prolonged storage above 24°C (75°F).

8. Exposure Controls / Personal Protection

Exposure Controls: Use only in well-ventilated areas

Respiratory Protection: Avoid inhalation of vapors. No special protection under normal use.

Hand and Skin Protection: Avoid unnecessary skin contact. Wear latex gloves when handling

Eye Protection: Wear safety goggles or safety glasses with side shields when handling,

Hygiene Measures: Remove spilled material from skin and clothing. Do not eat or drink when handling this material

9. Physical and Chemical Properties

Appearance: Pink paste.

Odor: Specific odor

Boiling Point: N/A

Evaporation Rate (Water = 1): N/A

Vapor Density (Air = 1): N/A

Solubility in Water: Insoluble

10. Stability and Reactivity

Stability: This material is stable.

Hazardous Reactions: None if handled according to directions

Hazardous Polymerization: May occur.

Conditions to Avoid: Heat, UV light

Incompatibility: Free radicals, reducing agents, heavy metal ions

Hazardous Decomposition Products: Carbon dioxide, water, carbon monoxide, acrylic decomposition products, depending on conditions of heating and burning.

11. Toxicological Information

Acute oral toxicity: LD50 (rat) > 5000mg/KG

Irritation of Skin: Dryness and irritation possible upon prolonged exposure

Allergic Effects: Methacrylate sensitive individuals may exhibit an allergic reaction.

12. Ecological Information

Do not discharge into sewers or water supplies

Environmental persistence and degradability: no data available

Ecotoxicity: no data available

13. Disposal Considerations

May be disposed of in landfill or Incinerator In accordance with local, state and federal regulations

14. Transport Information

14.1 Transport at land

ADR

RID

UN Number

Kemler Number

Packing Group

Proper shipping name

14.2 Transport at sea

ADNR

IMDG

UN Number

EMS

MFAG

Packing Group

Proper shipping name

14.3 Air transport

ICAO / IATA-DGR

UN Number

Proper shipping name

Subsidiary Risk

Labels

Packing Group

U.S. DOT Shipping Name: Not Regulated

U.S. DOT Hazard Class: None

U.N./N.A. Number: None

U.S. DOT Packing Group: None

Other: Not considered hazardous cargo

15. Regulatory Information

This product requires classification according to the criteria of EC.
The product is a medical device according to the EC-directive 93/42.

15.1 UN Number

15.2 National regulations

15.3 EU number

15.4 Hazard symbols



15.5 Hazard designation

Irritant

15.6 Risk phrases

36/37/38 Irritating to eyes respiratory system and skin

15.7 Safety phrases

U.S.-O.S.H.A. Status: This material is not hazardous under the criteria of the U.S Federal Hazard Communication Standard.

16. Other Information

Premier's revision date: 09-03-2014

Revision number: 8

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall establish a legally valid contractual relationship.

Relevant R-phrases

36/37/38: Irritating to eyes respiratory system and skin

Irritant

Material should be maintained in original containers. Empty containers should not be re-used.

ANSI/NFPA 704 Data

Fire = 1

Health = 0

Reactivity = 0

Specific Hazard = None

Supplier's date: 02-16-2011

This SDS is offered solely for your information, consideration and investigation. This SDS is intended to provide a brief summary of our knowledge and guidance regarding the use of this material. Premier Dental Products Company provides no warranties; either expressed or implied, and assumes no responsibility for the accuracy or completeness of data contained herein. Premier Dental Products Company urges persons receiving this information to make their own determination as to the information suitability for their particular application.
