

SAFETY DATA SHEET (SDS)

In accordance with Hazard Communication Standard (HCS),
29CFR 1910.1200(g), 2012 revision

GINGITRAC™ RETRACTION MATERIAL

SECTION I - PRODUCT/ COMPANY IDENTIFICATION

Product Trade Name: GingiTrac™ Part (Item) Number: REF 360100, REF 360101
REF 360102, REF 360103 and REF 360104 Manufacturer: CENTRIX
INC Address: 770 RIVER ROAD, SHELTON, CT 06484
Emergency Telephone Number: Toll-Free (800)235-5862, (203)929-5582

SECTION II - HAZARDS IDENTIFICATION

Hazard Classification: Non-hazardous, slight irritant for eyes

SECTION III - INGREDIENTS/IDENTITY INFORMATION

Addition Silicone (vinyl terminated polysiloxane)alum

SECTION IV - FIRST AID MEASURES

Skin: Wash with plenty of water and soap.
Ingestion: Consult a physician.
Inhalation: If affected, remove to fresh air.
Eyes: Flush immediately with plenty of water. If irritation persists, see eye doctor.

SECTION V - FIRE-FIGHTING MEASURES

Suitable extinguishing media: Water spray, foam, powder, carbon dioxide
Unusual fire and explosion hazards: Material can burn generating irritating gases
Specific intervention methods: Appropriate protective equipment must be worn
in case of fire

SECTION VI - ACCIDENTAL RELEASE MEASURES

Recovery: Contain and absorb spilled material using an appropriate spill
absorbent. Collect in a suitable container for disposal.
Cleaning/Decontamination: Wipe up any affected area with absorbent material.
Disposal: Dispose of material in accordance with local, state, and federal
requirements.

SECTION VII - HANDLING AND STORAGE

Handling: Does not require specific technical measures. Note that handling with
latex or rubber gloves may inhibit set. Use vinyl gloves. Air sensitive material; keep
container tightly closed when not in use.
Storage Containers: Store in supplied packaging (keep container tightly closed).
Storage Incompatibilities: Strong oxidizing agents. Other Storage precautions: Store
away from heat sources. Temperature will affect set time.

SECTION VIII - EXPOSURE CONTROLS / PERSONAL PROTECTION

Eye protection: Eye protection recommended
Hands protection: Impervious gloves are recommended
Other equipment: None

SECTION IX - PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Green base/white catalyst
Vapor pressure: < 5 mm Hg @ 25 C
Odor: Slight sweet odor
Water solubility: Insoluble in water
Boiling point: >150°C Specific gravity: >1
Flash point: >450°F (material will ash) Volatile part by weight: None

SECTION X - STABILITY AND REACTIVITY

Stability: Stable
Materials to avoid: No dangerous reactions known
Hazardous decomposition products: No dangerous reactions known

SECTION XI - TOXICOLOGICAL INFORMATION

Acute toxicity: Non-toxic
Eye contact: Eye irritant

SECTION XII - ECOLOGICAL INFORMATION

Environmental fate: No data available
Degradability: Non-biodegradable
Ecotoxicity: Impact on aquatic environment: No data available. No affect
anticipated.

SECTION XIII - DISPOSAL CONSIDERATIONS

Dispose in accordance with federal, state and local regulations

SECTION XIV - TRANSPORT INFORMATION

DOT- not regulated

SECTION XV - REGULATORY INFORMATION


Federal - SARA title III section 313: This product does not contain any substance
subject to reporting requirements at or above deminimis quantities. Federal -
TSCA: All components are either listed or otherwise comply with requirements.
International - DSL (Canada): All ingredients are listed on the Canadian
Domestic Substance List (DSL)International - WHMIS (Canada): Not a "controlled
product" under the Canadian Workplace Hazardous Materials Information
System- (WHMIS)

SECTION XVI - OTHER INFORMATION: NONE

CAUTION

The above information is based on presently available data and to our best
knowledge for handling the product under normal conditions. Any use of this
product in any way not indicated on this document or using it together with
any other process/procedure will be exclusively under the user's responsibility.



 **CENTRIX INCORPORATED**
770 River Road, Shelton, CT 06484 USA
(203) 929-5582 (800) 235-5862 FAX (203) 929-6804
www.centrixdental.com

 Dental-Contact Vertriebs OHG, Im Spiet 101, DE 26506 Norden

Emergo Australia
Level 20, Tower II, Darling Park, 201 Sussex Street
Sydney, NSW 2000, Australia